



# CITY OF HOUSTON

Department of Health and Human Services

**Annis D. Parker**

Mayor

Stephen L. Williams, M.Ed., M.P.A.  
Director  
Houston Department of Health  
and Human Services  
7411 Park Place Blvd RM 102  
Houston, TX 77087

T.832.393.5688  
F.832.393.5706  
[www.houstonhealth.org](http://www.houstonhealth.org)

## NOTICE OF WAIVER APPLICATION FOR: REDUCTION TO MINIMUM 180-DAY INTERCEPTOR CLEANING FREQUENCY

TCEQ # \_\_\_\_\_ \*Telephone Number \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ Zip \_\_\_\_\_

**\*Must be in operation and in compliance for a full 12 months with proof of 90 day pump out history before waiver will be granted. Please attach copies of waste manifest for (1) year to show compliance.**

For the Notice of Waiver to be effective under Chapter 47-512(e), please answer the following:

**YES NO**

- Has your interceptor or holding tank overflowed during the previous 12 month?
- Have you received a verbal warning, notice of violation or a citation regarding your interceptor from any governmental entity (including, but not limited to, City of Houston Department of Health and Human Services) during the previous 12 months?
- Is the capacity of your interceptor consistent with uniform plumbing code, as currently adopted by the city?
- Will the interceptor produce an effluent consistent with the discharge parameters specified by Chapter 47-514 of Code of Ordinances with the reduced frequency requested?
- Will the interceptor contain more than 25% of floating materials, sediment, oils, or grease at any time based on the reduced cleaning frequency?

A generator must comply with each element of Chapter 47-512 (e) in order to be exempt from the clean out requirement. The Notice of Waiver does not relieve the generator from the requirement of having the interceptor fully evacuated, cleaned, inspected, and if needed, repaired or maintained, at least every **180 days** and its waste properly disposed of in accordance with federal, state, and local regulation. Violations of ARTICLE XI. TRANSPORTATION AND TREATMENT OF CERTAIN WASTES Sec 47-411 through 47-600 will result in the Notice of Waiver being denied or cancelled.

All representations in Notice of Waiver are conditions upon which the generator shall operate its interceptor. The applicant will operate its interceptor in compliance with the Code of Ordinances of the City of Houston and all applicable laws. The signature below indicates that, based on information and belief after reasonable inquiry, the statements on this Notice of Waiver are true, accurate and **complete**.

**Note: Please mail Notice of Waiver to 7411 Park Place Houston, Tx. 77087 Attn: LaNiece Blue**

**All sections of this application MUST be complete or application will not be reviewed. Faxed applications will not be accepted.**

### GENERATOR'S CERTIFICATION FOR QUESTION # 1, 2 AND 3 ABOVE

\_\_\_\_\_  
Print Name of Generator (Owner Representative) Generator Signature Date

### TRANSPORTER'S CERTIFICATION FOR QUESTIONS 4 AND 5 ABOVE

**Transporter Certification:** I certify that the frequency (# \_\_\_\_\_ Times/Yr) of cleaning at this facility is sufficient to maintain required effluent discharge or will demonstrate less than 25% of wetted height of Sludge Judge. (Sec.47-512(e)(2))

\_\_\_\_\_  
Transporter Company Rep. (Print Name) Signature Date

Transporter Company's Name: \_\_\_\_\_ COH Permit Number: \_\_\_\_\_

#### For Office Use Only

Date Reviewed \_\_\_\_\_ NOV \_\_\_\_\_

Reviewing Official \_\_\_\_\_ Citations \_\_\_\_\_

Comments: \_\_\_\_\_

Exemption Granted  YES  NO