

**CERTIFICATE OF APPROPRIATENESS**

**Application Date:** September 2, 2015

**Applicant:** Alex Ridgeway of Brickmoon Design for Thomas and Monica Springer, owners

**Property:** 1205 Rutland Street, Lot 17 and 18, Block 183, Houston Heights Subdivision. The property includes an 8,800 square foot (66' x 132') corner lot.

**Significance:** The property is a vacant lot located in the Houston Heights Historic District West. The property is two of five platted lots that were the former location of a now demolished poultry processing plant.

**Proposal:** New Construction – Construct a 5,341 square foot two story residence with attached alley loading three car two-story garage.

- Residence will measure 39' 5" wide at the front by 102' 10" deep, with a maximum width of 43'.
- The house will feature an eave height of 22' 8" and a ridge height of 32' 1".
- Residence will be set back 20' from the Rutland Street property line and 20' 7" from the West 12<sup>th</sup> Street property line.
- The façade of the residence will feature a pair of 14' wide two-story gabled projections flanking a recessed central bay.

See enclosed application materials and detailed project description on p. 5-25 for further details.

In September 2014, a previous owner was granted a conditional COA for a new single family house on the same property (then known as 1201 Rutland). The proposed 4,360 square foot house had a front width of 36' (maximum width of 43' in the rear two bays only) and depth of 96' 3", and was approved only on condition that the height be reduced as the size of the house exceeded typical. A rear two-story garage was attached to the main house with a one-story section that provided articulation between the house and garage on the 12<sup>th</sup> Street façade. The approved COA for 1201 Rutland is included as Attachment A. See also p. 19-23 of this report for a comparison of the elevation and plan drawings of each proposal.

**Public Comment:** No public comment received.

**Civic Association:** No comment received.

**Recommendation:** Denial - does not satisfy criteria

**HAHC Action:** Denied

APPROVAL CRITERIA

NEW CONSTRUCTION IN A HISTORIC DISTRICT

Sec. 33-242: HAHC shall issue a certificate of appropriateness for new construction in a historic district upon finding that the application satisfies the following criteria:

S D NA S - satisfies D - does not satisfy NA - not applicable

- (1) The new construction must match the typical setbacks of existing contributing structures in the historic district
(2) The exterior features of new construction must be compatible with the exterior features of existing contributing structures in the historic district
(3) The proportions of the new construction, including width and roofline, must be compatible with the typical proportions of existing contributing structures and objects in the historic district

The proposed width of the structure, 39' 5" at the front wall and 42' 11" maximum, combined with the proposed ridge height of 32' 1" and eave height of 22' 8", result in massing proportions that are incompatible with those of contributing structures within Houston Heights Historic District West.

Contributing structures that feature similar height dimensions to the proposed structure feature width dimensions that are considerably narrower than what is proposed for 1205 Rutland Street. Contributing structures that feature similar width dimensions are considerable shorter than the proposed residence.

The proposed width that is wider than the other Contributing structures and proposed height dimensions that are among the tallest of the Contributing structures, result in a structure that is considerably more massive than the existing two and one-story historic fabric of the district.

In addition, Contributing structures located on corner lots usually feature a depth of 35' to 50' followed by yard space and a one or two story accessory structure at the rear of the lot. The proposed structure features much larger and incompatible depth to mass proportions featuring a depth of 103' of continuous two-story massing with little articulation between the main residence and attached rear garage.

- (4) The height of the eaves of a new construction intended for use for residential purposes must not be taller than the typical height of the eaves of existing contributing structures used for residential purposes in the historic district; and
(5) The height of new construction intended for use for commercial purposes must not be taller than the typical height of the existing structures used for commercial purposes in the historic district.



**INVENTORY PHOTO**

NONCONTRIBUTING STRUCTURE HAS BEEN DEMOLISHED



**NEIGHBORING PROPERTIES**



**1147 Rutland – Contributing (across street at southwest corner of West 12<sup>th</sup> and Rutland Streets)**



**1202 Rutland – Contributing (across the street)**



**1220 Rutland – Contributing (across the street)**



**1219 Rutland – Contributing (north neighbor)**



**1223 Rutland – Contributing**



**1228 Rutland – Contributing (across street)**

APPROVED RESIDENCES FOR THE LOTS NEXT DOOR



**1207 Rutland Street**  
Eave Height: 22' 11"  
Ridge Height: 31' 10"  
Front Width: 24'  
Max Width: 27'  
Depth: 108'

**1211 Rutland Street**  
Eave Height: 23' 1"  
Ridge Height: 32' 10"  
Front Width: 24'  
Max Width: 27'  
Depth: 108'

**1215 Rutland Street**  
Eave Height: 22' 11"  
Ridge Height: 31' 10"  
Front Width: 24'  
Max Width: 27'  
Depth: 108'



**1205 Rutland Street**  
*Proposed*  
Eave Height: 22' 8"  
Ridge Height: 32' 1"  
Front Width: 39' 5"  
Max Width: 43'  
Depth: 102' 10"

**ALL 2-STORY CONTRIBUTING RESIDENCES IN DISTRICT (30)**

<p><b>1147 Allston – Contrib. c.1920 Prairie</b></p> <p>front width: 28 max width: 28 ridge ht: 28 eave ht: 20 porch eave ht: 10 porch floor ht: 2 pitch: 6/12 residence s.f.: 2,450 lot s.f: 9,900 lot on block: corner</p> 	<p><b>1246 Allston – Contrib. c.1910 Classic Revival</b></p> <p>front width: 32 max width: 32 ridge ht: 34 eave ht: 22 porch eave ht: - porch floor ht: 2 pitch: 8/12 residence s.f.: 1,980 lot s.f: 6,600 lot on block: corner</p> 
<p><b>1341 Allston – Contrib. 1928 Colonial Revival</b></p> <p>front width: 28 max width: 28 ridge ht: 27 eave ht: 18 porch eave ht: - porch floor ht: 3 pitch: 7/12 residence s.f.: 2,240 lot s.f: 6,600 lot on block: interior</p> 	<p><b>1400 Allston – Contrib. c.1920 Am Foursq/Prairie</b></p> <p>front width: 31 max width: 31 ridge ht: 29 eave ht: 20 porch eave ht: 10 porch floor ht: 2 pitch: 6/12 residence s.f.: 2,460 lot s.f: 6,600 lot on block: corner</p> 
<p><b>1443 Allston – Contrib. c.1910 Dutch Colonial</b></p> <p>front width: 24 max width: 24 ridge ht: 32 eave ht: 32 porch eave ht: 12 porch floor ht: 2 pitch: 13/12 residence s.f.: 1,868 lot s.f: 6,600 lot on block: interior</p> 	<p><b>1509 Allston – Contrib. c.1910 Colonial Revival</b></p> <p>front width: 18 max width: 21 ridge ht: 28 eave ht: 21 porch eave ht: 10 porch floor ht: 2 pitch: 7/12 residence s.f.: 1,320 lot s.f: 6,600 lot on block: interior</p> 
<p><b>1531 Allston – Contrib. c.1925 Am Foursquare</b></p> <p>front width: 24 max width: 28 ridge ht: 31 eave ht: 23 porch eave ht: 12 porch floor ht: 3 pitch: 8/12 residence s.f.: 2,030 lot s.f: 6,600 lot on block: interior</p> 	<p><b>1535 Allston – Contrib. c.1925 Am Foursquare</b></p> <p>front width: 21 max width: 21 ridge ht: 28 eave ht: 20 porch eave ht: 11 porch floor ht: 3 pitch: 8/12 residence s.f.: 1,764 lot s.f: 6,600 lot on block: interior</p> 

**1541 Ashland – Contrib. c.1910 Colonial Revival**

front width: 31  
max width: 31  
ridge ht: 33  
eave ht: 21  
porch eave ht: -  
porch floor ht: 3  
pitch: 6/12  
residence s.f.: 2,232  
lot s.f: 6,600  
lot location: interior



**1109 Rutland – Contrib. 1928 Col Revival**

front width: 31  
max width: 31  
ridge ht: 30  
eave ht: 16  
porch eave ht: 11  
porch floor ht: 2  
pitch: 7/12  
residence s.f.: 2,160  
lot s.f: 6,900  
lot location: interior



**1202 Rutland – Contrib. c.1920 Craftsman**

front width: -  
max width: -  
ridge ht: 31  
eave ht: 21  
porch eave ht: -  
porch floor ht: 3  
pitch: -  
residence s.f.: 3,023  
lot s.f: 4,250  
lot location: corner



**1236 Rutland – Contrib. 1907 Queen Anne**

front width: 39  
max width: 39  
ridge ht: 28  
eave ht: 20  
porch eave ht: -  
porch floor ht: 2  
pitch: 12/12  
residence s.f.: 2,280  
lot s.f: 7,470  
lot location: interior



**1237 Rutland – Contrib. 1911 Queen Anne**

front width: 26  
max width: 30  
ridge ht: 31  
eave ht: 22  
porch eave ht: -  
porch floor ht: 2  
pitch: 8/12  
residence s.f.: 2,260  
lot s.f: 8,710  
lot location: corner



**1343 Rutland – Contrib. c.1925 Colonial Revival**

front width: 32  
max width: 32  
ridge ht: 29  
eave ht: 22  
porch eave ht: 11  
porch floor ht: 2  
pitch: 6/12  
residence s.f.: 2,290  
lot s.f: 4,880  
lot location: corner



**1429 Rutland – Contrib. c.1930 Colonial Revival**

front width: 25  
max width: 28  
ridge ht: 28  
eave ht: 22  
porch eave ht: -  
porch floor ht: 3  
pitch: 7/12  
residence s.f.: 1,793  
lot s.f: 7,920  
lot location: interior



**1439 Rutland – Contrib. c.1930 Colonial Revival**

front width: 28  
max width: 35  
ridge ht: 27  
eave ht: 19  
porch eave ht: 9  
porch floor ht: 2  
pitch: 6/12  
residence s.f.: 2,530  
lot s.f: 8,880  
lot location: interior



**1535 Rutland – Contrib. c.1920 Folk Victorian**

front width: 21  
max width: 21  
ridge ht: 26  
eave ht: 19  
porch eave ht: 10  
porch floor ht: 2  
pitch: 6/12  
residence s.f.: 2,744  
lot s.f.: 8,712  
lot location: corner



**1232 Tulane – Contrib. c.1925 Craftsman**

front width: 30  
max width: 40  
ridge ht: 27  
eave ht: 18  
porch eave ht: -  
porch floor ht: 2  
pitch: 10/12  
residence s.f.: 2,140  
lot s.f.: 6,600  
lot location: interior



**1427 Tulane – Contrib. 1927 Craftsman Apt**

front width: 28  
max width: 28  
ridge ht: 25  
eave ht: 18  
porch eave ht: 9  
porch floor ht: 1  
pitch: 6/12  
residence s.f.: 2,186  
lot s.f.: 5,799  
lot location: corner



**1447 Tulane – Contrib. c.1915 Craftsman**

front width: 27  
max width: 27  
ridge ht: 30  
eave ht: 21  
porch eave ht: 10  
porch floor ht: 3  
pitch: 8/12  
residence s.f.: 2,566  
lot s.f.: 8,799  
lot location: interior



**1537 Tulane – Contrib. c.1910 Colonial Revival**

front width: 31  
max width: 31  
ridge ht: 32  
eave ht: 33  
porch eave ht: -  
porch floor ht: 2  
pitch: 7/12  
residence s.f.: 2,348  
lot s.f.: 7,250  
lot location: corner



**1541 Tulane – Contrib. c. 1910 Colonial Revival**

front width: 28  
max width: 28  
ridge ht: 33  
eave ht: 22  
porch eave ht: -  
porch floor ht: 1  
pitch: 8/12  
residence s.f.: 3,030  
lot s.f.: 6,600  
lot location: interior



**201 W 15th – Contrib. 1902 Queen Anne**

front width: 28  
max width: 22  
ridge ht: 35  
eave ht: 25  
porch eave ht: 13  
porch floor ht: 3  
pitch: 10/12  
residence s.f.: 2,530  
lot s.f.: 12,300  
lot location: corner



**509 W 15th – Contrib. c.1910 Colonial Revival**

front width: -  
max width: -  
ridge ht: 27  
eave ht: 22  
porch eave ht: 11  
porch floor ht: 2  
pitch: -  
residence s.f.: 1,056  
lot s.f.: 1,782  
lot location: corner



**611 W 15th – Contrib. c.1940 Garage Apt**

**201 W 16th – Contrib. c.1910 Queen Anne**

front width: 25  
 max width: 28  
 ridge ht: 22  
 eave ht: 17  
 porch eave ht: -  
 porch floor ht: -  
 pitch: 7/12  
 residence s.f.: 1,516  
 lot s.f.: 2,948  
 lot location: corner



front width: 28  
 max width: 28  
 ridge ht: 33  
 eave ht: 25  
 porch eave ht: 13  
 porch floor ht: 3  
 pitch: 7/12  
 residence s.f.: 2,630  
 lot s.f.: 6,800  
 lot location: corner



**209 W 16th – Contrib. c.1910 Queen Anne**

front width: 14 (bay)  
 max width: 31  
 ridge ht: 36  
 eave ht: 23  
 porch eave ht: -  
 porch floor ht: 2  
 pitch: 10/12  
 residence s.f.: 2,770  
 lot s.f.: 9,800  
 lot location: interior



**327 W 16th – Contrib. c.1910 – Queen Anne**

front width: -  
 max width: -  
 ridge ht: 33  
 eave ht: 24  
 porch eave ht: -  
 porch floor ht: 2  
 pitch: 8/12  
 residence s.f.: 1,480  
 lot s.f.: -  
 lot location: interior



**1235 Yale – Contrib. c.1915 – American Foursquare**

front width: 25  
 max width: 25  
 ridge ht: 29  
 eave ht: 20  
 porch eave ht: 10  
 porch floor ht: 2  
 pitch: 8/12  
 residence s.f.: 1,392  
 lot s.f.: 6,600  
 lot location: interior



**1245 Yale – Contrib. c.1910 Colonial Revival**

front width: 33  
 max width: 33  
 ridge ht: 32  
 eave ht: 23  
 porch eave ht: 12  
 porch floor ht: 3  
 pitch: 6/12  
 residence s.f.: 2,700  
 lot s.f.: 7,980  
 lot location: corner



**1205 Rutland - PROPOSED**

front width: 39'  
 max width: 43'  
 ridge ht: 32'  
 eave ht: 23'  
 porch eave ht: 12'  
 porch floor ht: 2.5  
 pitch: 5/12  
 residence s.f.: 5,341  
 lot s.f.: 8,800  
 lot on block: corner



**3D RENDERING – FRONT FACING RUTLAND AND WEST 12<sup>TH</sup> STREETS**



**3D RENDERING – FRONT FACING WEST 12<sup>TH</sup> STREET**



**3D RENDERING – FRONT FACING RUTLAND STREET**



**3D RENDERING – FACING FRONT AND 1207 RUTLAND STREET**



**EAST ELEVATION – FRONT FACING RUTLANDT STREET**

PROPOSED




**WEST (REAR) ELEVATION**


PROPOSED







### ROOF PLAN PROPOSED





## WINDOW / DOOR SCHEDULE

WINDOW SCHEDULE						
MARK	QTY	WIDTH	HEIGHT	TYPE	WALL	DESCRIPTION
(A)	3	(2)3'-0"	6'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - MULLED UNIT: STUDY, DINING, BREAKFAST
(B)	4	3'-0"	5'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - DINING, FAMILY
(C)	1	2'-6"	4'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - BUTLER'S PANTRY
(D)	1	3'-6"	4'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - KITCHEN
(E)	1	2'-6"	5'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - POOL BATH
(F)	1	3'-0" 3'-0"	1'-6" 5'-0"	TRANSOM DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT WITH TRANSOM - MULLED UNIT: MUDROOM
(G)	3	2'-6"	2'-0"	FIXED	2X6	NEW ALUM. CLAD WINDOW, PICTURE RECESSED MOUNT - GARAGE
(H)	1	(2)2'-6"	6'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - MULLED UNIT: FAMILY
(J)	6	3'-0"	5'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - STUDY, M. BEDROOM, M. BATH, M. CLOSET
(K)	2	(2)2'-4"	5'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - MULLED UNIT: MASTER CLOSET, BEDROOM 2
(L)	2	2'-0"	2'-0"	FIXED	2X6	NEW ALUM. CLAD WINDOW, 2/2 RECESSED MOUNT - BATH 2
(M)	7	(2)3'-0"	5'-0"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - MULLED UNIT: BEDROOM 2, BEDROOM 3, STAIRS, GUEST BEDROOM, LIVING/KITCHENETTE, HALLWAY, LANDING
(N)	4	2'-6"	3'-6"	DOUBLE HUNG	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - BATH 3, UTILITY, LIVING/KITCHENETTE
(P)	1	5'-0"	3'-6"	SLIDER	2X6	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - BEDROOM 4
(Q)	1	4'-0"	1'-6"	FIXED	2X6	NEW ALUM. CLAD WINDOW, PICTURE RECESSED MOUNT - GUEST BATH
(R)	3	2'-6"	4'-0"	FIXED	2X6	NEW ALUM. CLAD WINDOW, PICTURE RECESSED MOUNT - MASTER BEDROOM
(S)	1	2'-6"	6'-0"	DOUBLE HUNG	8"CMU	NEW ALUM. CLAD WINDOW, 1/1 RECESSED MOUNT - WINE CELLAR

## DOOR SCHEDULE

MARK	QTY	WIDTH	HEIGHT	TYPE	WALL	DESCRIPTION
(1)	1	1'-6" 3'-6" 1'-6"	8'-0" 8'-0" 8'-0"	SIDEJTE EXTERIOR SIDEJTE	2X6	MULLED UNIT: TEMPERED. FOYER
(2)	1	(2)2'-6"	8'-0"	INTERIOR	2X4	UNIT: STUDY
(3)	5	2'-6"	8'-0"	INTERIOR	2X4	STUDY CLOSET, POWDER, COAT CLOSET, WINE
(4)	1	2'-6"	8'-0"	INT POCKET	2X6	PANTRY
(5)	1	(2)2'-8"	8'-0"	EXTERIOR	2X6	UNITY: 1 OPERABLE, 1 FIXED. FAMILY
(6)	1	(2)2'-8"	8'-0"	EXTERIOR	2X6	UNITY: 2 FIXED. FAMILY
(7)	1	3'-0"	8'-0"	INT POCKET	2X6	BREAKFAST
(8)	1	(2)3'-0"	8'-0"	EXT SLIDING	2X6	UNIT: TEMPERED. BACK PORCH
(9)	2	3'-0"	8'-0"	INTERIOR	2X4	ELEVATOR
(10)	1	2'-4"	8'-0"	INTERIOR	2X4	POOL BATH
(11)	1	3'-0"	8'-0"	EXTERIOR	2X6	MUDROOM
(12)	1	3'-0"	8'-0"	EXTERIOR	2X6	20 MIN FIRE RATED DOOR W/ SELF-CLOSING HARDWARE: GARAGE
(13)	3	2'-8"	7'-0"	INTERIOR	2X4	BEDROOM 2, BEDROOM 3, BEDROOM 4
(14)	6	2'-4"	7'-0"	INTERIOR	2X4	CLOSET 4, BATH 4, BATH 3, CLOSET 3, CLOSET 2, BATH 2
(15)	6	3'-0"	7'-0"	INTERIOR	2X4	LIVING/KITCHENETTE, GUEST BEDROOM, GUEST BATHROOM, ELEV, UTILITY, STORAGE
(16)	2	(2)2'-0"	7'-0"	INTERIOR	2X4	UNIT: GUEST CLOSET, HALL CLOSET
(17)	1	(2)2'-8"	7'-0"	INTERIOR	2X4	UNIT: MASTER BEDROOM
(18)	2	2'-6"	7'-0"	INTERIOR	2X4	MASTER BATHROOM
(19)	1	(2)1'-6"	7'-0"	INT POCKET	2X6	UNIT: MASTER CLOSET

TYPICAL DETAILS OF HOUSTON HEIGHTS WEST

TWO-STORY CONTRIBUTING STRUCTURES

FRONT WIDTH	RIDGE HT	EAVE HT	PORCH EAVE HT	ROOF PITCH
Typ. Range: 20 – 32	Typ. Range: 24 – 33	Typ. Range: 18 – 23	Typ. Range: 8 – 12	Typ. Range: 5/12 – 8/12
1236 Rutland 39	209 W 16th 36	201 W 15th 25	201 W 15 <sup>th</sup> 13	1443 Allston 13/12
1205 Rutland 39	201 W 15th 35	201 W 16th 25	201 W 16th 13	1236 Rutland 12/12
1245 Yale 33	1246 Allston 34	327 W 16th 24	1205 Rutland 12	1232 Tulane 10/12
1246 Allston 32	327 W 16th 33	1205 Rutland 23	1443 Allston 12	201 W 15th 10/12
1343 Rutland 32	1541 Ashland 33	1537 Tulane 23	1531 Allston 12	209 W 16th 10/12
1400 Allston 31	1541 Tulane 33	206 W 16 <sup>th</sup> 23	1245 Yale 12	1235 Yale 8/12
1541 Ashland 31	201 W 16th 33	1245 Yale 23	1535 Allston 11	1246 Allston 8/12
1109 Rutland 31	1205 Rutland 32	1531 Allston 23	1109 Rutland 11	1531 Allston 8/12
1537 Tulane 31	1443 Allston 32	1246 Allston 22	1343 Rutland 11	1535 Allston 8/12
1232 Tulane 30	1537 Tulane 32	1443 Allston 22	509 W 15th 11	1237 Rutland 8/12
1147 Allston 28	1245 Yale 32	1237 Rutland 22	1147 Allston 10	1447 Tulane 8/12
1341 Allston 28	1531 Allston 31	1343 Rutland 22	1400 Allston 10	1541 Tulane 8/12
1439 Rutland 28	1202 Rutland 31	1429 Rutland 22	1509 Allston 10	327 W 16th 8/12
1427 Tulane 28	1237 Rutland 31	1541 Tulane 22	1535 Rutland 10	201 W 16 <sup>th</sup> 7/12
1541 Tulane 28	1109 Rutland 30	509 W 15th 22	1447 Tulane 10	1341 Allston 7/12
201 W 16th 28	1447 Tulane 30	1509 Allston 21	1235 Yale 10	1509 Allston 7/12
1447 Tulane 27	1400 Allston 29	1541 Ashland 21	1439 Rutland 9	1109 Rutland 7/12
1237 Rutland 26	1343 Rutland 29	1202 Rutland 21	1427 Tulane 9	1429 Rutland 7/12
1429 Rutland 25	1235 Yale 29	1447 Tulane 21	1246 Allston #	1537 Tulane 7/12
611 W 15th 25	1147 Allston 28	1147 Allston 20	1429 Rutland #	611 W 15th 7/12
1235 Yale 25	1509 Allston 28	1400 Allston 20	1541 Ashland #	1245 Yale 6/12
1443 Allston 24	1535 Allston 28	1535 Allston 20	1237 Rutland #	1147 Allston 6/12
1531 Allston 24	1236 Rutland 28	1236 Rutland 20	1202 Rutland #	1400 Allston 6/12
201 W 15th 22	1429 Rutland 28	1235 Yale 20	1236 Rutland #	1541 Ashland 6/12
1535 Allston 21	1341 Allston 27	1439 Rutland 19	1341 Allston #	1439 Rutland 6/12
1535 Rutland 21	1439 Rutland 27	1535 Rutland 19	1232 Tulane #	1535 Rutland 6/12
1509 Allston 18	1232 Tulane 27	1341 Allston 18	1537 Tulane #	1427 Tulane 6/12
209 W 16th 14	509 W 15th 27	1232 Tulane 18	1541 Tulane #	1205 Rutland 5/12
1202 Rutland *	1535 Rutland 26	1427 Tulane 18	611 W 15th #	1202 Rutland *
509 W 15th *	1427 Tulane 25	611 W 15th 17	209 W 16th #	1343 Rutland *
327 W 16th *	611 W 15th 22	1109 Rutland 16	327 W 16th *	509 W 15th *

# - No one story porch \* - Obstructed from measurement

**COMPARISON WITH APPROVED COA FOR THE SITE**  
**EAST ELEVATION – FRONT FACING RUTLANDT STREET**  
APPROVED WITH CONDITIONS– 9/25/14

Drawing reflects the initially proposed ridge height of 36' 6". HAHC approved the COA on the condition that this height was reduced to 33'.



**PROPOSED**



**SOUTH SIDE ELEVATION FACING WEST 12<sup>th</sup> STREET**

APPROVED WITH CONDITIONS – 9/25/14



PROPOSED



**NORTH SIDE ELEVATION**

APPROVED WITH CONDITIONS – 9/25/14



PROPOSED




**WEST (REAR) ELEVATION**

APPROVED WITH CONDITIONS – 9/25/14




PROPOSED





PROPOSED



---

## PROJECT DETAILS

**Shape/Mass:** Proposed structure will measure 39' deep at the front (with a maximum width of 42' 11" starting 17' 5" from the front wall) by 102' 10" deep with an eave height of 22' 8" and a ridge height of 32' 1". The proposed front porch will measure 15' wide and will feature an eave height of 11' 7".

All height dimensions are measured from the existing natural grade, which is 1' 8" taller than the crown of Rutland Street.

**Setbacks:** The proposed residence will be constructed to within 20' of the front property line, 20' 7" from the south property line, 3' 2" from the north property line and 9' 1" from the rear property line.

**Foundation:** Pier and beam foundation with a finished floor height of 2' 8" from existing natural grade or 4' 4" from the crown of Rutland Street.

**Windows/Doors:** Residence will feature wood recessed mounted single hung 1-over-1 windows and single lite casement windows. The proposed front entrance will feature a wood three light Craftsman style door with a dentil shelf and a pair of side lites.

**Exterior Materials:** Residence will be clad in smooth finish cementitious siding with a 6" exposure. The front and side porches will be supported by 10" square cementitious columns and will feature wood guardrails. Both porches will be accessible by a set of wood steps.

**Roof:** The residence will feature a hipped roof with a 5:12 pitch. The residence will also feature two front facing and one side facing gable, each with a 5:12 pitch.

**Front Elevation:** The façade will feature three bays. The two side bays will feature gable roofs and the central bay (East) will be recessed from the side bays. The front porch will be situated at the central bay in front of the main entrance. The porch will feature a pair of square columns. The flanking bays will each feature pairs of adjoining 1-over-1 windows on the first and second floor. A pair of casement windows will be located on the second floor above the front porch.

**Side Elevation:** The first 25' 5" of the structure will feature four 1-over-1 windows at the first and second floors. (South) The next 19' 11" of the structure will feature two 1-over-1 windows on the first floor and three single lite casement windows on the second. This section of the structure will bump out 2' from the first section and will feature a gabled roof. The next 34' 8" of the structure will consist of a two-story mass with a 1<sup>st</sup> floor side porch. The area behind the side porch will feature a set of sliding doors, a door with a transom lite and a pair of 1-over-1 windows. The second floor will feature two pairs of adjoining 1-over-1 windows. The remaining 17' 10" of the structure will consist of the side elevation of the proposed attached garage with upstairs living space. This will feature three casement windows on the first floor and a pair of 1-over-1 windows on the second.

**Side Elevation:** The north elevation features an exterior wall that bumps out and recesses in four locations. (North) The first 17' 5" of the residence will be built to within 5' 2" of the north property line and will feature a pair of adjoining 1-over-1 windows on the first and second floors. The next 32' 11" will bump out 2' towards the north side property line and will feature a two 1-over-1 windows on the first floor and four on the second. The next 24' of the structure will be recessed 7' 2" from the north side property line and will feature a pair of 1-over-1 windows on the first floor, one with a transom window, and a pair of 1-over-1 windows and a pair of casement windows on the second. The remaining 23' 5" of the structure will be set back 3' 2" from the north side property line and will feature one single lite casement window on the second floor.

**Rear Elevation:** The proposed alley loading two-story attached garage will be situated at the rear of the property. (West) The 1<sup>st</sup> floor will feature a double width garage door, as well a separate single garage door, for a total of three car bays. The 2<sup>nd</sup> floor will feature two pairs of adjoining 1-over-1 windows.

**Houston Archaeological & Historical Commission**

September 24, 2015

HPO File No. 150915

**ITEM A.21**

1205 Rutland Street  
Houston Heights West

---