

# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 32 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

( ) Make A the only correct answer.

( ) Other (please explain below):

( ) Make B the only correct answer.

( ) Make C the only correct answer.

( ) Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

(☒) Give all applicants credit

(☒) Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

ALL OPERATIONAL PERMITS REQUIRE APPROVAL BY FIRE CODE OFFICIAL. THE WORD INSPECTION DOESNT MEAN A WALK THROUGH. INSPECTION COULD MEAN PREPARED INSPECTING APPLICATION FOR PERMIT FOR CORRECTNESS. TEST QUESTION WAS TAKEN OUT OF THE CONTEXT OF FIRE CODE. NO PERMITS ARE ISSUED ~~AND~~ WITH OUT SO TYPE OF INSPECTION.

4767969

Random Test Number

9-15-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 36 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

☐ Make A the only correct answer.

☐ Other (please explain below):

☐ Make B the only correct answer.

☐ Make C the only correct answer.

☐ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

☒ Give all applicants credit

☒ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

THE QUESTION TALKS ABOUT FACILITIES THE EXCEPTION STATES DISPENSING EQUIPMENT. THE QUESTION IS VAGUE AND DOESNT HAVE ENOUGH INFO TO ESTABLISH WHAT IT IS ASKING. EXCEPTIONS ARE SPECIFIC THERE FOR QUESTION SHOULD HAVE INFO SPECIFIC TO EXCEPTION

476 7969  
Random Test Number

9-15-17  
DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 36 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ☐ Make A the only correct answer.  
☐ Make B the only correct answer.  
☐ Make C the only correct answer.

☐ Other (please explain below):

☒ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

- ☐ Give all applicants credit  
☐ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

I think that both answers for this question are correct. It is stated in section 2308.3.1 numbers 1-4 where not to store (CNG) and Number 4 states answer B as where not to store (CNG). Answer B is located within the same section as answer A so both should be correct.

SEP 7'17 RCV

5681028

Random Test Number

9-7-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 39 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ☐ Make A the only correct answer.  
☐ Make B the only correct answer.  
☐ Make C the only correct answer.

☐ Other (please explain below):

- ☐ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

☒ Give all applicants credit

☒ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

CORRECT ANSWER STATES FACILITY ADDRESS & FIRE DEPARTMENT TELEPHONE NUMBER ONLY; NO WHERE IN THE CODE DOES IT STATE THIS MINIMUM WAS THE WRONG WORD TO USE IN QUESTION WHEN FIRE CODE USES A MINIMUM IT WILL STATE "NOT MORE THAN OR AT LEAST". THE EMERGENCY PROCEDURES SECT. SAYS APPROVED EMERGENCY PROCEDURES SIGN, IN ADDITION TO THE SIGNS REQUIRED BY SECT. 2305.6 SHALL BE POSTED. NOTHING STATES ANSWER CHOICE B

4767969

Random Test Number

9-15-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 43 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

☐ Make A the only correct answer.

☐ Other (please explain below):

☐ Make B the only correct answer.

☒ Make C the only correct answer.

☐ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

☒ Give all applicants credit

☒ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

NO WHERE IN FIRE CODE ARE WORDS WET-PIPE AUTOMATIC SPRINKLER SYSTEM ONLY. FIRE CODE WOULD NEVER RELY ON 1 PROTECTION SYSTEM TO PROTECT LIFE + PROPERTY THE WORD ONLY DISQUALIFIES THE ANSWER CHOICE

476 7969

Random Test Number

9-15-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 43 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ( ) Make A the only correct answer. ( ) Other (please explain below):  
( ) Make B the only correct answer.  
( ) Make C the only correct answer.

(X) Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

- ( ) Give all applicants credit  
( ) Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

2 SECTIONS OF THE BOOK ARE REFERENCED FOR THIS QUESTION  
THE 1ST IS CH 51 PG 312 5104.4.1 AUTOMATIC SPRINKLER SYSTEM,  
AEROSOL WAREHOUSES SHALL BE PROTECTED BY AN APPROVED WET-PIPE  
AUTOMATIC SPRINKLER SYSTEM IN ACCORDANCE WITH NFPA 30B,  
SPRINKLER PROTECTION SHALL BE DESIGNED BASED ON THE HIGHEST  
CLASSIFICATION LEVEL OF AEROSOL PRODUCT PRESENT. THE 2ND IS CH 50 PG 309  
5005.2.2.1 VENTILATION. WHERE CLOSED SYSTEMS ARE DESIGNED  
TO BE OPEN AS PART OF NORMAL OPERATIONS, VENTILATION SHALL  
BE PROVIDED IN ACCORDANCE WITH SECTION 5005.2.1.1. SECTION  
5005.2.1.1 WAS NOT REFERENCED FOR THE QUESTION. WITH THIS BEING  
SO, IT IS BELIEVED THAT THE BEST POSSIBLE ANSWER IS CHOICE "C"  
HAVING THE ONLY REFERENCE TO BOTH SECTIONS OF THE IFC BOOK,  
MAKE THE REQUIREMENT BOTH WET-PIPE SPRINKLER SYSTEM AND  
VENTILATION.

SEP 14 '17 RCV

8868353

Random Test Number

9/14/2017

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 47 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ☐ Make A the only correct answer.  
☐ Make B the only correct answer.  
☐ Make C the only correct answer.

☐ Other (please explain below):

☒ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

- ☐ Give all applicants credit  
☐ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

IF FOOD TRUCK IS OPERATING IN DOL 1022 AMOUNT OF LPG IS LESS  
WHICH IS WITH ITS LOCATION OF OPERATION IS REQUIRED WHEN APPLYING FOR  
PERMITS. APPLICATION IS FIRST STEP IN PERMITTING PROCESS. LOCATION OF OPERATION  
IS ON PLOT PLANS AT FESTIVALS

4767969

Random Test Number

9-15-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 52 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ( ) Make A the only correct answer. ( ) Other (please explain below):  
( ) Make B the only correct answer.  
( ) Make C the only correct answer.  
( ) Consider the following as correct answers  
(circle the answers you feel are correct):  
A B C  
( ) Give all applicants credit  
☒ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

311.5.2 PLACARD SIZE AND COLOR.

THIS SECTION IS NOT IN THE STUDY MATERIAL.

THE COM AMENDMENTS ON PAGE 33 HAVE A

[EDITORIAL NOTE: DELETE AND RESERVE ALL OF SECTION  
311.5 (311.5.1 THROUGH 311.5.5.)

SEP14'17 RCV

8868353

Random Test Number

9/14/2017  
DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 52 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ( ) Make A the only correct answer. ( ) Other (please explain below):  
( ) Make B the only correct answer.  
( ) Make C the only correct answer.  
( ) Consider the following as correct answers  
(circle the answers you feel are correct):  
A B C  
( ) Give all applicants credit  
(☒) Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

AMENDMENTS ON PAGE 33 HAS SECTION STATED { EDITORIAL NOTE: DELETE & RESERVE ALL OF SECTION 311.5 (311.5.1 THROUGH 311.5.5). } THE QUESTION CAME FROM THAT SECTION AND AMENDMENTS ARE SUPPOSED TO AMEND SECTIONS OF THE CODE

4767969

Random Test Number

9-15-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 52 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ( ) Make A the only correct answer. ( ) Other (please explain below):  
( ) Make B the only correct answer.  
( ) Make C the only correct answer.  
( ) Consider the following as correct answers  
(circle the answers you feel are correct):  
A B C  
(✓) Give all applicants credit  
( ) Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

After I spoke with several HFD inspectors I feel like  
question #52 is not part of the COH Fire Code. That section  
of the Fire code has been deleted. On vacant buildings in the COH  
We do not use the placard of the colors that the question #52  
refers to. See COH Fire code Amendments for the correct placement of the  
placard.

SEP15'17 RCV

5406088  
Random Test Number

Sept 9 2017  
DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 67 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ☐ Make A the only correct answer.  
☐ Make B the only correct answer.  
☐ Make C the only correct answer.  
☐ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

- ☒ Give all applicants credit  
☒ Remove the question from the exam.

☒ Other (please explain below):

~~either give all applicants~~  
~~CREDIT OR REMOVE THE~~  
~~QUESTION FROM EXAM~~

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

THE EXCEPTION STATES WHERE ELECTRONIC EXIT EGRESS LOCKING DEVICE IS INSTALLED ON AN EXIT EGRESS DOOR THE RELAY DEVICES TO LOCKING DEVICE + AT THE DOOR SHALL BE TESTED AT LEAST SEMI ANNUALLY

THE QUESTION ASK WHICH FIRE ALARM SYSTEM + THE COMMAS IN THE EXCEPTION MAKE THE FIRE ALARM SYSTEM, + DOOR 2 DIFFERENT THINGS

4767969

Random Test Number

9-15-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 87 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ☐ Make A the only correct answer. ☐ Other (please explain below):  
☐ Make B the only correct answer.  
☐ Make C the only correct answer.

☒ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

- ☐ Give all applicants credit  
☐ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

UNDER EQUALITY/EGALITARIANISM HEADING IT SAYS EQUALITY IS MOST PRIZED AMERICAN VALUE. EQUALITY + EGALITARIANISM IS SYNONYMOUS, EQUAL OPPORTUNITY IS MORE DIRECTLY RELATED TO EGALITARIANISM THAN INDIVIDUALISM. ~~THE~~

~~THE~~ AUTHOR HAS USED DIFFERENT CONCEPTS THAT INTERMINGLED THROUGHOUT BOOK

AT THE BOTTOM OF PG 209 IN REMEMBER THIS BOX; FREEDOM IS THE MOST REVERED VALUE IN THE UNITED STATES. IN HEADING UNDER INDIVIDUALITY A PRIVACY ON PG 209 " INDIVIDUALISM IS PERHAPS THE MOST REVERED U.S. CULTURAL VALUE + PARTICULARLY SALIENT SOCIAL CHARACTERISTIC. THE AUTHOR IS COMBINING IDEAS + A + B BOTH CAN BE CORRECT + C IS NOT CORRECT

4767969

Random Test Number

9-15-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 94 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

- ( ) Make A the only correct answer. ( ) Other (please explain below):  
( ) Make B the only correct answer.  
( ) Make C the only correct answer.  
( ) Consider the following as correct answers  
(circle the answers you feel are correct):  
A B C  
( ) Give all applicants credit  
(X) Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

I think this question should be remove because it ask what is the most accurate for communication, The book we read is base on communication between cultures and anyone of the answers could be the most accurate for concers with communication.

SEP 7'17 RCV

5681028

Random Test Number

9-7-17

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_



# APPEAL FORM

Questions for this promotional examination were taken solely from the source material listed in the Source Material List. Information contained in any other material will not be considered in determining the correct answer to any question.

Houston Fire Department

HFD Inspector 8/23/2017

You may only appeal **ONE** question per form.

For Question # 96 I would like the Test Review Committee to take the following action (please check one or explain in the space provided):

☒ Make A the only correct answer.

☐ Other (please explain below):

☐ Make B the only correct answer.

☐ Make C the only correct answer.

☐ Consider the following as correct answers  
(circle the answers you feel are correct):

A

B

C

☐ Give all applicants credit

☐ Remove the question from the exam.

Explanation: Please provide a detailed explanation of your appeal / rebuttal. **DO NOT WRITE THE TEST QUESTION ON THIS FORM.** Print/ Write legibly.

In question #96 the test question comes from CH9 Nonverbal communications which deals with different forms of communications verbal, nonverbal and nonverbal communications classifications such as message of the body, appearance, attire, body movement ~~appearance~~ and gestures.

In question #96 the sentence starts with "In a communication setting" leaving the reader to reference back to paragraph Gestures & Idiosyncratic Gestures which provides several types of settings & examples. The way the question is worded it's not asking for a definitions of non-verbal communication only a description of a communication settings which would fall under paragraphs Gestures & Idiosyncratic gestures which all include a source of stimuli & environment

8809905

Random Test Number

9-15-2017

DATE

Do not write in this box. This area is for Test Review Committee or Civil Service Commission use only.

☐ Approved

☐ Denied

Committee Chairman Signature \_\_\_\_\_

SEP15'17 RCV