



FACT SHEET

Mass casualties and disasters such as explosions and fires can cause a variety of serious injuries, including burns. These can include thermal burns, which are caused by contact with flames, hot liquids, hot surfaces, and other sources of high heat, as well as chemical burns and electrical burns. It is vital that people understand how to behave safely in mass casualty and fire situations, as well as comprehend basic principles of first aid for burn victims. For burns, immediate care can be lifesaving.

Note: Most victims of fires die from smoke or toxic gases, not from burns (Hall 2001). This guideline covers burn injuries.

Background information

- On average in the United States in 2004, someone died in a fire every 135 minutes, and someone was injured every 30 minutes (Karter 2005).
- Each year in the United States, 1.1 million burn injuries require medical attention (American Burn Association, 2002).
 - Approximately 50,000 burn injuries require hospitalization;
 - Approximately 20,000 are major burns involving at least 25 percent of the total body surface;
 - Approximately 4,500 of these people die.
- Up to 10,000 people in the United States die every year of burn-related infections.
- Only 60 percent of Americans have an escape plan, and of those, only 25 percent have practiced it (NFPA, 1999).
- Smoke alarms cut your chances of dying in a fire in half (NFPA, 1999).

Escape Information

Safeguard Your Home

- Install smoke alarms on each floor of your home. One alarm must be outside a bedroom where you sleep.
- Change batteries in smoke alarms at least once a year. (**Never** borrow smoke alarm batteries for other purposes).
- Keep emergency phone numbers and other pertinent information posted close to your telephone.
- Draw a floor plan and find two exits from each room. Windows can serve as emergency exits.
- Practice getting out of the house through the various exits.
- Designate a meeting place at a safe distance outside the home.



- Respond to every alarm as if it were a real fire.
- Call the fire department after escaping. Tell them your address and do not hang up until you are told to do so. Let them know if anyone is trapped inside.
- **Never** go back into a burning building to look for missing people, pets, property, etc. Wait for firefighters.

Hotel and Workplace Fire Safety

- Become familiar with exits and posted evacuation plans each time you enter a building.
- Learn the location of all building exits. You may have to find your way out in the dark.
- Ensure that fire exits are unlocked and clear of debris.
- All buildings, whether homes, workplaces, or hotels, should have working smoke alarm systems. Make sure you know what the alarm sounds like.
- Respond to every alarm as if it were a real fire. If you hear an alarm, leave immediately and close doors behind you as you go.
- Establish an outside meeting place where everyone can meet after they have escaped.
- Call the fire department after escaping. Tell them your address and do not hang up until you are told to do so. Let them know if anyone is trapped inside.
- **Never** go back into a burning building to look for missing people, pets, property, etc. Wait for firefighters.

If You Are Trapped in a Burning Building

- Smoke rises, so crawl low to the ground where the air will be cleanest.
- Get out quickly if it is safe to leave. Cover your nose and mouth with a cloth (moist if possible).
- Test doorknobs and spaces around doors with the back of your hand. If the door is warm, try another escape route. If it is cool, open it slowly. Check to make sure your escape path is clear of fire and smoke.
- Use the stairs. **Never** use an elevator during a fire.
- Call the fire department for assistance if you are trapped. If you cannot get to a phone, yell for help out the window. Wave or hang a sheet or other large object to attract attention.
- Close as many doors as possible between yourself and the fire. Seal all doors and vents between you and the fire with rags, towels, or sheets. Open windows slightly at the top and bottom, but close them if smoke comes in.



First Aid

What you do to treat a burn in the first few minutes after it occurs can make a huge difference in the severity of the injury.

Immediate Treatment for Burn Victims

- “Stop, Drop, and Roll” to smother flames.
- Remove all burned clothing. If clothing adheres to the skin, cut or tear around burned area.
- Remove all jewelry, belts, tight clothing, etc., from over the burned areas and from around the victim’s neck. **This is very important; burned areas swell immediately.**

Types of Burns

First-Degree Burns - involve the top layer of skin. Sunburn is a first-degree burn.

- **Signs:**
 - Red
 - Painful to touch
 - Skin will show mild swelling
- **Treatment:**
 - Apply cool, wet compresses, or immerse in cool, fresh water. Continue until pain subsides.
 - Cover the burn with a sterile, non-adhesive bandage or clean cloth.
 - Do not apply ointments or butter to burn; these may cause infection.
 - Over-the-counter pain medications may be used to help relieve pain and reduce inflammation.
 - First degree burns usually heal without further treatment. However, if a first-degree burn covers a large area of the body, or the victim is an infant or elderly, seek emergency medical attention.

Second-Degree Burns - involve the first two layers of skin.

- **Signs:**
 - Deep reddening of the skin
 - Pain
 - Blisters
 - Glossy appearance from leaking fluid
 - Possible loss of some skin



(Second-degree burns, continued)

- **Treatment:**
 - Immerse in fresh, cool water, or apply cool compresses. Continue for 10 to 15 minutes.
 - Dry with clean cloth and cover with sterile gauze.
 - Do not break blisters.
 - Do not apply ointments or butter to burns; these may cause infection.
 - Elevate burned arms or legs.
 - Take steps to prevent shock: Lay the victim flat, elevate the feet about 12 inches, and cover the victim with a coat or blanket. Do not place the victim in the shock position if a head, neck, back, or leg injury is suspected, or if it makes the victim uncomfortable.
 - Further medical treatment is required. Do not attempt to treat serious burns unless you are a trained health professional.

Third-Degree Burns - penetrate the entire thickness of the skin and permanently destroy tissue.

- **Signs:**
 - Loss of skin layers
 - Often painless. (Pain may be caused by patches of first- and second-degree burns which often surround third-degree burns.)
 - Skin is dry and leathery
 - Skin may appear charred or have patches which appear white, brown or black
- **Treatment:**
 - Cover burn lightly with sterile gauze or clean cloth. (Do not use material that can leave lint on the burn).
 - Do not apply ointments or butter to burns; these may cause infection.
 - Take steps to prevent shock: lay the victim flat, elevate the feet about 12 inches.
 - Have person sit up if face is burned. Watch closely for possible breathing problems.
 - Elevate burned area higher than the victim's head when possible. Keep person warm and comfortable, and watch for signs of shock.
 - Do not place a pillow under the victim's head if the person is lying down and there is an airway burn. This can close the airway.
 - Immediate medical attention is required. Do not attempt to treat serious burns unless you are a trained health professional.



References

- Ahrens M. (2001) The U.S. fire problem overview report: Leading causes and other patterns and trends. Quincy (MA): National Fire Protection Association.
- American Burn Associations (2002). Burn Incidence Fact Sheet.
- Burn Foundation (2002) Travel Safe Guide - Surviving a Hotel Fire.
- CDC, National Center for Health Statistics (NCHS). (1998) National vital statistics system. Hyattsville (MD): U.S. Department of Health and Human Services, CDC, National Center for Health Statistics.
- Gibran NS, Heimbach DM. (2000) Current status of burn wound pathophysiology. *Clinical Plastic Surgery*; 27 (1): 11-22.
- Gueugniaud PY, et al. (2000) Current advances in the initial management of major thermal burns. *Intensive Care Med*; 26 (7): 848-56.
- Hall JR. (2001) Burns, toxic gases, and other hazards associated with fires: Deaths and injuries in fire and non-fire situations. Quincy (MA): National Fire Protection Association, Fire Analysis and Research Division.
- Hilton G. (2001) Emergency. Thermal burns. *AJ7N, American Journal of Nursing*. 101(11): 32-4.
- Istre GR, McCoy MA, Osborn L, Bamard JJ, Bolton A. (2001) Deaths and injuries from house fires. *New England Journal of Medicine*; 344:1911—16.
- Karter MJ. (2005) Fire loss in the United States during 2004. Quincy (MA): National Fire Protection Association, Fire Analysis and Research Division.
- National Fire Protection Association (1999) NFPA National Fire Escape Survey, Quincy (MA).
- Parker DJ, Sklar DP, Tandberg D, Hauswald M, Zumwalt RE. (1993) Fire fatalities among New Mexico children. *Annals of Emergency Medicine*; 22(3):5 17—22.
- Yowler CJ, Fratianne RB. (2000) Current status of burn resuscitation. *Clinical Plastic Surgery*; 27 (1): 1-10.

For more information, visit www.bt.cdc.gov/masscasualties,
or call CDC at 800-CDC-INFO (English and Spanish) or 888-232-6348 (TTY).